

Data sheet

Commercial Art.No.: 70.325.1628.9

Bottom EX GUT GE16 09IA Z

Bottom-base revos Ex made of zinc, with double locking lever and protective cover, open, 16-poles, explosion-tested version



Commercial Art.No.	70.325.1628.9
EAN	4015573220232
Order Unit	1

Certificates / Approvals



Technical data

General

Housing material	Die-cast zinc
Color	Blue
Surface	With powder coating
Degree of protection (IP)	IP54
Operating temperature range min.	-20 °C
Operating temperature range max.	60 °C

Model

Construction	16
Model of the housing	female
Locking mechanism	Double locking levers
Cable entry	None
Type of cable	None
With cable screw gland	No
Thread size PG	
EMC-version	No
Length	113 mm
Width	66 mm
Height	46 mm

Classification

ECLASS 11	
ECLASS 8.1	27440202

ETIM 7.0	EC000437
ETIM 6.0	EC000437

Product compliance




ROHS conformity status	Compliant/Exempted
ROHS exceptions	III-6(a); III-6(c)
REACH-SVHC conformity status	Duty-To-Declare
REACH-SVHC substances	Lead
REACH-SVHC CAS numbers	7439-92-1

☐ These dimensions will be especially checked at delivery
☐ Only inspection dimensions
☐ With ZE marked dimensions are only valid for internal use

☐ Diese Maße werden bei Abnahme besonders geprüft

☐ Ausschließlich Prüfmaße

Mit / E gekennzeichnete Maße sind nur für interne Zwecke gültig



Weitere Daten siehe Katalog
further data see catalog

Tolerierung nach DIN 7167/Tolerance system acc. to DIN 7167. [This DIN-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances].					ja/yes ☒ Stoffverbots- und Deklarationsliste nach UU-TQM-05/03 ist einzuhalten. Conformity with Wieland document UU-TQM-05/03 (list of prohibited / degradable hazardous substances) to be declared!						
Freitoleranz nach - General tolerance			CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed			1.Verwendung: - First Use:		Blatt: 1 von 1 Sheet: 1 of 1			
	/		Werkstoff/Material		2008	Tag/Date	Name	Zeichnung Nr./Drawing No.		Index	
	/				gezeichnet drawn	23.09.	Schmitt J.	70.325.1628.9 01K			
	/		Maßstab/Scale 1:1			geprüft checked	-	-			
	/					Normgepr. Stand. check	-	-	Maße in mm/Dimensions are in mm		
	/	Vol.	mm³	Ofl./Surf.	mm²	Ersatz für/Replacement for: -					
	/	 wieland				Type		Benennung/Title			
	/					Typ		GEHÄUSEUNTERTEIL			
Index	Datum / Blatt Date / Sheet										
Änderung/Revision		Elektrische Verbindungen				EX GUT GE 16 09IA		mit Klappdeckel, Zink-Druck-Guß Größe/size 16 offen Die-cast zinc housing with protective cover open			