




Description

HDS18B20 is a all integrated digital the rmometer provides 12-bit Celsius temperature measurements without any other external sensing unit. It can communicates over a 1-Wire bus that by definition requires only one data line (and ground) for communication with a central microprocessor,eliminating the need for strong pull up operating conditions, which effectively reduce MCU controller cost.

Feature

- Low Cost, Replace HDS18B20
- Replace Ntc Thermistor
- Each Device Has a Unique 64-Bit Serial Code
Stored In On-Board Rid
- Measures Temperatures Accuracy: $\pm 0.5^{\circ}\text{C}$
- Supply Voltage: 2.6V ~ 5.5V
- Operating Temperature: $-55^{\circ}\text{C} \sim +150^{\circ}\text{C}$
- Conversion Current: 40 μA
- Standby Current: 0.5 μA
- Resolution: 12 Bits (0.0625 $^{\circ}\text{C}$)
- Communication Interface: 1-Wire




Name	Pin	Description
GND	1	Ground
DQ	2	Data Input/Output
VDD	3	Power Supply

Note: Under parasite-power mode, VDD must be drifted, not to ground.

Applications

- Thermostatic Controls
- Industrial System Controls
- Cold Chain Transportation

Block Diagram





Technical Standards

1. Extreme Operation

Parameters	Min.	Max.	Unit
Supply Voltage Range	- 0.5	6	V
Temperature Range	- 55	150	°C
Junction Temperature		150	°C
Storage Temperature	- 60	150	°C

These are stress ratings only and functional operation of the device at these or any other conditions above those indicated in the operation sections of this specification is not implied. Exposure to absolute maximum rating conditions for extended periods of time may affect reliability

2. Electrostatic Protection

		Protection value	Unit
Electrostatic Discharge	Human Body Mode (HBM), per ANSI/ESDA/JEDEC JS-001	±4000	V
Latch-up	Latch-Up, per JESD 78, Class IA	±200	mA





Electrical Characteristics

Unless otherwise specified, the following data are the characteristics of the chip in the temperature range of -40°C~+125°C and voltage range of 2.6V~5.5V. (Typical operating conditions are +25°C and 3.3V)

Parameters	Test conditions	Min.	Typ.	Max	Unit
Power Supply	Two-wire connection (DQ-GND)	2.6	3.3	5.5	V
	Three-wire connection (VDD-GND)	1.4	3.3	5.5	V
Operating Temperature		- 55		150	°C
Temperature Measurement Accuracy	0°C ~ +85°C, 3.3V			± 0.5	°C
	-40°C ~ +125°C			±1	°C
Supply Voltage Sensitivity				0.1	°C/V
Resolution			0.0625		°C
			12		bits
Conversion Time			27	35	ms
Operating Current	Conversion period		40	80	μA
	standby mode		0.5	3	μA
Pull-Up Resistor		0.5	4.7	10	KΩ



Typical Data



Detailed Description

Temperature Output

The 12-bit digital output of each temperature measurement is stored in a read-only temperature register, where 1 LSB = 0.0625°C, and negative numbers are represented in binary complement form. To obtain the temperature output, two bytes need to be read, where byte 1 is the low-significant byte and the following byte 2 is the high-significant byte. If a temperature range of 128°C and above needs to be measured, the user must enable extended mode (EM = 1) through the 1-Wire interface configuration.

Table 1,2 Several examples of digital output and corresponding temperature are listed .

The power-on default value of the temperature register is 85°C (=0x0550).



Table 1. Temperature Data Format (EM=0)

Temperature (°C)	Digital Output (Binary)				Digital Output (Hex)
150	0000	0111	1111	1111	07FF
127.9375	0000	0111	1111	1111	07FF
125	0000	0111	1101	0000	07D0
85	0000	0101	0101	0000	0550
27	0000	0001	1011	0000	01B0
0.0625	0000	0000	0000	0001	0001
0	0000	0000	0000	0000	0000
-0.0625	1111	1111	1111	1111	FFFF
-55	1111	1100	1001	0000	FC90

Table 2. Temperature Data Format (EM=1)

Temperature (°C)	Digital Output (Binary)				Digital Output (Hex)
150	0000	1001	0110	0000	0960
127.9375	0000	0111	1111	1111	07FF
125	0000	0111	1101	0000	07D0
85	0000	0101	0101	0000	0550
27	0000	0001	1011	0000	01B0
0.0625	0000	0000	0000	0001	0001
0	0000	0000	0000	0000	0000
-0.0625	1111	1111	1111	1111	FFFF
-55	1111	1100	1001	0000	FC90

Note: Table 1, 2 Data formats are not available for all temperatures.

Register Map

The internal buffer of HDS18B20 consists of five registers, the mapping relationship is as follows: table 3 The specific contents of the register are as shown in Tables 4~12shown.

Table 3. Register Map

Byte	Register	Symbol	Attributes	Default Value
1	Temperature	TEMP	R	0x50
2			R	0x05
3	High Threshold	THIG	R/W	0x55
4	Low Threshold	TLOW	R/W	0x00
5	Configuration Word	CONF	R/W	0x7F
6	Reserve	-	R	0xFF
7	Reserve	-	R	0x0C
8	Reserve	-	R	0x10
9	Check Code	CRC8	R	0x21

Note: R stands for read-only; R/W stands for read-write.



Table 4. Temperature Register (EM=0)

Bit	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
Binary	T15	T14	T13	T12	T11	T10	T9	T8	T7	T6	T5	T4	T3	T2	T1	T0
Temperature	sign	sign	sign	sign	sign	64	32	16	8	4	2	1	2-1	2-2	2-3	2-4
Attributes	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R

Note: R stands for read-only; R/W stands for both read and write. Sign is the sign bit, 0 = positive number, 1 = negative number.

Table 5. Temperature Register (EM=1)

Bit	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
Binary	T15	T14	T13	T12	T11	T10	T9	T8	T7	T6	T5	T4	T3	T2	T1	T0
Temperature	sign	sign	sign	sign	128	64	32	16	8	4	2	1	2-1	2-2	2-3	2-4
Attributes	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R

Note: R stands for read-only; R/W stands for both read and write. Sign is the sign bit, 0 = positive number, 1 = negative number.

Table 6. High Threshold Register (EM=0)

Bit	7	6	5	4	3	2	1	0
Binary	H7	H6	H5	H4	H3	H2	H1	H0
Temperature	sign	64	32	16	8	4	2	1
Attributes	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

Note: R stands for read-only; R/W stands for both read and write. Sign is the sign bit, 0 = positive number, 1 = negative number.

Table 7. High Threshold Register (EM=1)

Bit	7	6	5	4	3	2	1	0
Binary	H7	H6	H5	H4	H3	H2	H1	H0
Temperature	sign	128	64	32	16	8	4	2
Attributes	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

Note: R stands for read-only; R/W stands for both read and write. Sign is the sign bit, 0 = positive number, 1 = negative number.

Table 8. Low Threshold Register (EM=0)

Bit	7	6	5	4	3	2	1	0
Binary	L7	L6	L5	L4	L3	L2	L1	L0
Temperature	sign	64	32	16	8	4	2	1
Attributes	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

Note: R stands for read-only; R/W stands for both read and write. Sign is the sign bit, 0 = positive number, 1 = negative number.



Table 9. Low Threshold Register (EM=1)

Bit	7	6	5	4	3	2	1	0
Temperature	sign	128	64	32	16	8	4	2
Attributes	R/W	R/W	R/W	R/W	R/W	R/W	R/W	R/W

Note: R stands for read-only; R/W stands for both read and write. Sign is the sign bit, 0 = positive, 1 = negative.

Table 10. Configuration Register

Bit	7	6	5	4	3	2	1	0
Binary	EM	-	-	-	-	-	-	-
Default Value	0	1	1	1	1	1	1	1
Attributes	R/W	R	R	R	R	R	R	R

Note: R stands for read-only; R/W stands for both read and write. - stands for reserved bits.

Table 11. Configuration register contents description

Parameters	Description
EM	Extended Mode EM=0: Output 12-bit temperature, the range is (-128°C ~ +127.9375°C). Temperature above the range is automatically clamped to +127.9375°C EM=1: Output 13-bit temperature, the range is (-256°C ~ +255.9375°C)

Note: The extended mode only changes the temperature display range but does not change the temperature resolution.

Table 12. Check Registers

Bit	7	6	5	4	3	2	1	0
Binary	C7	C6	C5	C4	C3	C2	c1	C0
Default Value	1	1	1	0	0	0	1	1
Attributes	R	R	R	R	R	R	R	R

Note: R stands for read-only; R/W stands for readable and writable. The verified data is the first eight bytes of the buffer area.



Serial Interface

3.1 Bus Overview

The 1-Wire bus is a single-master multi-slave communication system that uses only a single signal line. All slaves on the bus need to drive the bus at the appropriate time, so they must be mounted on the bus in the form of open-drain output. The 1-Wire bus stipulates a two-level command architecture consisting of addressing commands and function commands. Among them, addressing commands are generally universal between different types of devices, mainly used to select specific slaves on the bus to execute subsequent function commands; while function commands are different depending on the device type and application. The addressing commands supported by HDS18B20 are as follows: Table 13 As shown, the function command is as follows Table 14 shown. All data and commands transmitted on the 1-Wire bus are sent in the order of least significant bit first (LSB first).

Table 13. Addressing Commands

Code	Command	Description
0xF0	Search	Search for RID
0xEC	Alarm Search	Search for RID (only slaves with over-temperature alarm participate)
0x33	Read	Reading RID
0x55	Match	Matching RID
0xCC	Skip	Skip RID

Table 14. Function Commands

Code	Command	Description
0x44	Convert	Start temperature conversion
0xBE	Read Scratchpad	Read cache data
0x4E	Write Scratchpad	Write cache data

3.2 Node Address

The HDS18B20 has a unique 64-bit RID used as a node address in the 1-Wire bus. Table 15 As shown, the lowest 8 bits are the family code of HDS18B20; the middle 48 bits are the serial number. That each HDS18B20 shipped out of the factory is unique; the highest 8 bits are the checksum for the family code and serial number.

Table 15. Node Address (RID)

Bit	[63:56]	[55:8]	[7:0]
Binary	Check code	Serial Number	Family Code
Value	Corresponding Calculation	Each Unique	0x28

3.3 Signal Timing

The 1-Wire bus defines six basic signal types: reset pulse, response pulse, read 0 , read 1 , write 0 , and write 1 . Except for the response pulse, all signals are initiated by the master and start counting from the falling edge of the bus.



The initialization sequence consisting of a reset pulse followed by an acknowledge pulse is the starting step for all communications on the 1-Wire bus. Figure 1As shown. The host sends a reset pulse to the bus by pulling the bus low for 480us. After the HDS18B20 recognizes the reset pulse, it resets its own communication state and sends a response pulse. In order to detect the response pulse, the host must sample the bus within a specific window time. When the bus is sampled as logic low, it means that there is a response pulse, indicating that the HDS18B20 is ready to start communication; when the bus is sampled as logic high, it means that there is no response pulse, indicating that the reset pulse is not recognized by the HDS18B20, or the HDS18B20 is not mounted on the bus. In order to maximize the timing margin, recommends sampling the bus at 70us.




Figure1. Initialization Timing

1-Wire data transmission is based on time slots, which carry only one bit of data at a time. The write time slot transfers the data sent by the host to the chip; the read time slot transfers the data sent by the chip to the host. Both the read and write time slots start when the host pulls down the bus. figure 2As shown in Figure 1, the time slot width is not shorter than 65us; the recovery time between adjacent time slots must be not shorter than 1us. The two together determine the maximum possible communication rate of the 1-Wire bus to be 15kbps.

HDS18B20 can send data to the host only when the host starts the read time slot. After the host pulls down the bus to start the read time slot, it must maintain at least 1us to ensure that the falling edge of the bus can be recognized by HDS18B20. If HDS18B20 successfully recognizes it, it will decide the subsequent operation of the bus based on the data it is about to send. Therefore, the read time slot can be further divided into the following two signals:

- Read 0 : starting from the falling edge of the bus, pull the bus low and maintain for 15~60us;
- Read 1 : starts from the falling edge of the bus and releases the bus directly.

In order to receive the data sent by HDS18B20, the host must sample the bus within a specific window time, and the sampling result is the received one bit of data. In order to maximize the timing margin, recommends releasing the bus at 5us and sampling the bus at 15us.



The host sends data to the HDS18B20 by starting the write time slot. After the host pulls down the bus to start the write time slot, it must maintain at least 1us to ensure that the falling edge of the bus can be recognized by the HDS18B20. If the HDS18B20 recognizes successfully, it will sample the bus within a specific window time. The sampling result is a bit of data received by the HDS18B20. Therefore, the write time slot can be further divided into the following two signals:

- Write 0 : After the host pulls down the bus, it must maintain at least 60us to release the bus;
- Write 1 : After the host pulls the bus low, it must release the bus within 15us.

The type of time slot initiated by the host is determined by the command itself. There may be both read time slots and write time slots in one communication process. Therefore, recommends that the host must be configured in open-drain output mode and never reconfigure the port or switch the input and output mode during communication.




Figure 2 . Read/Write Time Slot Diagram

3.4. Communication Process

After HDS18B20 is powered on, it takes about 3ms to stabilize, during which any communication operation is prohibited. The subsequent communication process is as follows:

Step-1: The host sends an initialization sequence;

Step-2: The host sends an addressing command and performs necessary data exchange. Step-3:

The host sends a function command and performs necessary data exchange.

The user must strictly follow the communication process. Any missing step or disorder will cause HDS18B20 to be unresponsive. The complete communication process is as follows: image 3The only exception is when the search command (0xF0 and 0xEC) is used in the search process, the host does not need to perform Step-3.




Figure 3 .Commands Flowchart



After the initialization sequence is complete, the master can send an addressing command to select a specific slave. The HDS18B20 supports the following five addressing commands.

- Search RID (Search, 0xF0)

When the system is initially started, the host must identify the RID of all slaves on the bus to confirm the type and number of slaves mounted on the bus. The 1-Wire bus uses an elimination method to identify the slave RID. This process requires the host to loop through multiple search processes to traverse all slaves on the bus.

The search process consists of a Search command and necessary data exchange. Data exchange starts with the lowest bit of RID. For each bit of RID, the host needs to start three time slots in succession. In the first time slot, the slave participating in the search will send the true value of its RID at that bit; and in the second time slot, the slave participating in the search will send the inverse value of its RID at that bit. According to the wire-AND characteristic of the open-drain structure, the bus output value is the bitwise AND of the values sent by all slaves, and the information expressed by each of the following four situations can be inferred:

- The true value is 0, and the inverse value is 0: the RIDs of the slaves participating in the search differ in this bit;
- The true value is 0, the inverse value is 1: the RID of the slaves participating in the search is 0 in this bit;
- The true value is 1, and the inverse value is 0: the RID of the slaves participating in the search is 1 in this bit;
- True value is 1, negated value is 1: bus fault, or the slave is removed during the search process.

The host needs to decide the selected value based on the read results of the first two time slots and send it in the third time slot. All slaves whose RID is different from the host's selected value in this bit will exit the subsequent search process. The above process is repeated 64 times, and this round of search process ends. The 64-bit selected value sent by the host is the RID of a slave on the bus. Repeating multiple rounds can identify all slaves. For the specific decision-making process of branch selection, please refer to the "HDS18B20 Driver User Manual".

- Search Alarm (Alarm Search, 0xEC)

This command is almost identical to the Search RID command (0xF0), except that only slaves with the ALARM flag set will participate in the search process. When the HDS18B20 performs a temperature conversion, if the temperature output is outside the user-defined high and low temperature alarm thresholds, the ALARM flag will be set.

- Read RID (Read, 0x33)



This command directly reads the 64-bit RID of the slave. If there is only one slave on the bus, this command can more easily identify its RID. However, if there are multiple slaves on the bus, all slaves will send their own RIDs at the same time, causing data conflicts on the bus. Users should avoid this situation.

- Match RID (Match, 0x55)

This command needs to be accompanied by the desired 64-bit RID. Only slaves with fully matched RIDs will execute subsequent function commands.

- Skip RID (Skip, 0xCC)

This command directly selects all slaves on the bus. In conjunction with the Start Temperature Conversion command (0x44) or the Write Cache Data command (0x4E), the global access function can be implemented to operate all slaves at the same time. However, this command cannot be used with the Read Cache Data command (0xBE), otherwise all slaves will send their own data at the same time, causing data conflicts on the bus. Users should avoid this situation.

The addressed slave can receive and execute subsequent function commands. HDS18B20 supports the following three function commands.

- Conversion (Convert, 0x44)

This command starts a temperature conversion and saves the temperature measurement result in a read-only temperature register. Compared with HDS18B20, the conversion power consumption of HDS18B20 is extremely low, so the host does not need to provide a strong pull-up condition during the conversion. However, it should be noted that the host must wait until the conversion is completed before communicating with HDS18B20, otherwise it may affect the temperature measurement accuracy, and may even cause the chip to power off and reset when the two-wire connection is in progress.

- Read Scratchpad (0xBE)

This command allows the host to read the entire internal buffer of the HDS18B20. Data transfer starts with the least significant bit of byte 1 and ends with the most significant bit of byte 9. If only the first part of the buffer data is needed, the host can send a reset pulse at any time to terminate subsequent reading.

- Write Scratchpad (0x4E)

This command allows the host to modify part of the internal buffer of HDS18B20. Data transmission starts at the lowest bit of byte 3 and ends at the highest bit of byte 5. Data is saved in the buffer in bytes. If the host sends a reset pulse in the middle of a byte, the data of that byte will be lost.

3.5 Calibration Principle

HDS18B20 performs a cyclic redundancy check (CRC) on both RID and buffer data. The calculation rules are as follows: Table 16As shown, the generator is Figure 4The host should recalculate the CRC value and compare it with the received CRC value to verify whether the data read from the HDS18B20 has bit errors.



16.CRC Calculation Rules

Item	Value	Item	Value
Check Width	8-bits	Input Data Inversion	no
Generating Polynomials	$x^8 + x^5 + x^4 + 1$	Output Data Inversion	no
Initial Preset Value	0x00	Result XOR value	0x00




Figure 4 . CRC Generator

Power Supply

1. Parasitic Power Supply

When using a two-wire connection, the HDS18B20 operates in a parasitic power supply state. When the bus is logically high, the HDS18B20 "steals" current from the 1-Wire bus and powers the internal modules; when the bus is logically low, the HDS18B20 uses the charge stored in the internal large capacitor to power the internal modules. The diode ensures that the capacitor charge will not leak in the reverse direction during the communication process. The connection diagram of parasitic power supply is shown in the figure below. Figure 5 shown.

Parasitic power supply is very suitable for remote temperature measurement applications and can effectively save cable costs. However, for high temperature applications ($>125^{\circ}\text{C}$), does not recommend the use of parasitic power supply, because semiconductor devices have large leakage currents at high temperatures, which may cause the capacitor charge to be unable to maintain normal communication.




Figure 5 . Parasite-power Connection Diagram



2. External Power Supply

HDS18B20 can be connected with three wires and work in external power supply state, such as Figure 6 At this time, the minimum operating voltage of the chip can drop to 1.4V.




Figure 6 . External Power Supply Connection Diagram

Application

Notice

The following content is the precautions and usage suggestions of HDS18B20 in specific applications. does not guarantee its accuracy or completeness. Users should evaluate whether it meets the target purpose in advance according to their own usage needs and application scenarios, and test and verify the correctness of the system functions to avoid losses.

1. High Temperature Applications

For high temperature applications ($>125^{\circ}\text{C}$), recommends using an external power supply. Users can take the following three measures to mitigate the impact of high temperature on parasitic power supply:

- Place a capacitor greater than 10uF between the power pin and the ground pin.
- Increase the pull-up supply voltage as high as possible and use a pull-up resistor smaller than 3k Ω .
- Shorten the reset pulse duration to 300us; increase the recovery time of adjacent time slots to 30us.

2. Layout Suggestions

HDS18B20 should be kept as far away from noise sources as possible, such as high-speed digital buses, coil components, and wireless antennas. When three-wire connection is adopted, recommends placing a low ESR ceramic capacitor between the power pin and the ground pin to filter out power noise. The capacitor needs to be as close to the power pin as possible, and the recommended value is 0.1uF.


The HDS18B20 should be placed as close as possible to the heat source being monitored, and proper layout should be used to achieve good thermal coupling to ensure that temperature changes are captured in the shortest possible time interval. The average power consumption of the HDS18B20 is very low, and the self-heating generated by the power consumption can be ignored.



Package Information

TO-92

Symbol	Size	Dimensions In Millimeters		Symbol	Size	Dimensions In Inches	
		Min(mm)	Max(mm)			Min(in)	Max(in)
A		3.300	3.700	A		0.130	0.146
A1		1.100	1.400	A1		0.043	0.055
b		0.380	0.550	b		0.015	0.022
c		0.360	0.510	c		0.014	0.020
D		4.300	4.700	D		0.169	0.185
D1		3.430		D1		0.135	
E		4.300	4.700	E		0.169	0.185
e		1.270(TYP)		e		0.050(TYP)	
e1		2.440	2.640	e1		0.096	0.104
L		14.10	14.50	L		0.555	0.571
Φ			1.600	Φ			0.063
h		0.000	0.380	h		0.000	0.015





Attention

- Any and all HUA XUAN YANG ELECTRONICS products described or contained herein do not have specifications that can handle applications that require extremely high levels of reliability, such as life-support systems, aircraft's control systems, or other applications whose failure can be reasonably expected to result in serious physical and/or material damage. Consult with your HUA XUAN YANG ELECTRONICS representative nearest you before using any HUA XUAN YANG ELECTRONICS products described or contained herein in such applications.
- HUA XUAN YANG ELECTRONICS assumes no responsibility for equipment failures that result from using products at values that exceed, even momentarily, rated values (such as maximum ratings, operating condition ranges, or other parameters) listed in products specifications of any and all HUA XUAN YANG ELECTRONICS products described or contained herein.
- Specifications of any and all HUA XUAN YANG ELECTRONICS products described or contained herein stipulate the performance, characteristics, and functions of the described products in the independent state, and are not guarantees of the performance, characteristics, and functions of the described products as mounted in the customer's products or equipment. To verify symptoms and states that cannot be evaluated in an independent device, the customer should always evaluate and test devices mounted in the customer's products or equipment.
- HUA XUAN YANG ELECTRONICS CO.,LTD. strives to supply high-quality high-reliability products. However, any and all semiconductor products fail with some probability. It is possible that these probabilistic failures could give rise to accidents or events that could endanger human lives, that could give rise to smoke or fire, or that could cause damage to other property. When designing equipment, adopt safety measures so that these kinds of accidents or events cannot occur. Such measures include but are not limited to protective circuits and error prevention circuits for safe design, redundant design, and structural design.
- In the event that any or all HUA XUAN YANG ELECTRONICS products(including technical data, services) described or contained herein are controlled under any of applicable local export control laws and regulations, such products must not be exported without obtaining the export license from the authorities concerned in accordance with the above law.
- No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or any information storage or retrieval system, or otherwise, without the prior written permission of HUA XUAN YANG ELECTRONICS CO.,LTD.
- Information (including circuit diagrams and circuit parameters) herein is for example only ; it is not guaranteed for volume production. HUA XUAN YANG ELECTRONICS believes information herein is accurate and reliable, but no guarantees are made or implied regarding its use or any infringements of intellectual property rights or other rights of third parties.
- Any and all information described or contained herein are subject to change without notice due to product/technology improvement, etc. When designing equipment, refer to the "Delivery Specification" for the HUA XUAN YANG ELECTRONICS product that you intend to use.