



Клеммы тип *О* Изолированные



Сечение провода: 0.5-1.5мм²; (A.W.G22-16) I _{max} =19A Материал: медь. Толщина: 0,75 мм								
Изображение	Наименование	Размеры, мм						Цвет
		d2	B	L	F	H	D	
	RV1.25-3	3.2	5.7	17.8	4.95	10.0	4.3	Красный
	RVS1.25-3.5	3.7						
	RVM1.25-3.5							
	RVL1.25-3.5							
	RVS1.25-4	4.3	6.6	20.1	6.3			
	RVL1.25-4		8.0	21.5	7.0			
	RV1.25-5	5.3						
	RVL1.25-5		9.8	23.0	8.5			
	RVS1.25-6	6.4	11.6	27.5	11.1			
	RV1.25-6							
	RV1.25-8	8.4						
	RV1.25-10	10.5	13.6	31.6	13.9			
	RV1.25-12	13.0	19.2	36.0	16.5			

Сечение провода: 4-6мм ² ; (A.W.G12-10) I _{max} =48A Материал: медь. Толщина: 1,0 мм								
Изображение	Наименование	Размеры, мм						Цвет
		d2	B	L	F	H	D	
	RV5.5-3.5	3.7	7.2	21.4	5.9	13.0	6.7	Желтый
	RVS5.5-4	4.3						
	RVL5.5-4		9.5	25.5	8.3			
	RV5.5-5	5.3						
	RV5.5-6	6.5	12.0	31.5	13.0			
	RV5.5-8	8.4	15.0	33.7	13.7			
	RV5.5-10	10.5						
	RV5.5-12	13.0	19.2	38.1	16.0			